


2L
461
E99Z
ENT

The
Entomologist's Record
and Journal of Variation

Edited by C. W. Plant



Contents and Special Index

Volume 122

2010

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 2674302

Annual subscription for 2010 is £25 for individuals or £50 for institutional subscribers

Editor

C.W. PLANT, B.Sc., F.R.E.S.

14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.

Telephone/Facsimile: 01279 507697 E-mail: cpauk1@ntlworld.com

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
Subscriptions, change of address, etc – contact PO Box 8774, London SW7 5ZG
Late or non-arrivals, back issues – contact PO Box 8774, London SW7 5ZG

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue. The Editor will be pleased to assist in any way possible, especially if you are a first-time author. If in doubt – contact me! Ideally material will be compatible with Microsoft Word and will arrive via e-mail, but we will accept typescripts or *neatly* hand-written contributions for shorter Notes.

Notes are reviewed and accepted by the Editor and are especially welcomed. We aim to publish these within two issues of acceptance.

Full papers must include an Abstract and a maximum of ten Key Words and acceptance is subject to external peer-review; full papers may be returned for changes before final acceptance and we aim to publish these within three or four issues of original receipt.

Colour or black and white photographs are welcomed but will only be used if they are deemed relevant by the Editor. All pictures, as well as graphs and other objects created in Excel or other programs must be sent as separate files. This is because files embedded in Word documents cannot be edited.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

Data Protection Act, 1998

Subscribers' names, address, AES publications subscribed to and, where provided, e-mail addresses and telephone numbers, are stored on a computer database for the sole purpose of administering the publication and distribution of this journal. The information may be accessed by or sent to elected AES council members for AES business purposes, but will be used solely for the purposes of managing AES membership subscriptions and administering the Society. It will not be divulged to any third party without your permission except where the Society is legally obliged to do so. By subscribing to the *Entomologist's Record and Journal of Variation* you agree to these data storage conditions. If you object to us storing this data please let us know.

CONTENTS

compiled by Colin W. Plant and Andrew Smith

1: PEER-REVIEWED PAPERS

A

- A new genus and species of Telenominae (Hym., Platygastroidea: Scelionidae) from Italy. *Giovanni Mineo, James P. O'Connor and Patrick Ashe*, 267-271
- A note on the early stages of *Olethreutes schulziana* (Fabricius, 1776) (Lep.: Tortricidae). *R. J. Heckford*, 191-194
- An examination of the status of *Diachrysia stenochrysis* (Warren, 1913) and its possible occurrence in Britain as a sibling of *D. chrysitis* (L.) (Lep.: Noctuidae). *Colin W. Plant*, 128-136
- An initial study of the feeding and egg-laying preferences of bark dwelling Psocids (Psocoptera) using composite bark blocks. *Robert E. Saville*, 35-42

B

- Barea asbolaea* (Meyrick, 1833) (Lep.: Oecophoridae *sensu stricto*): an adventive moth new to the British fauna. *Laurie Oakes, Helen Oakes, Jon Clifton and Colin W. Plant*, 185-190
- British distribution of *Aricia* Lep.: Lycaenidae. *Bill Smyllie*, 74-84
- Butterfly diversity from a sequential survey. *Robert Myler and Laurence M. Cook*, 23-27

C

- Celypha woodiana* (Barrett) (Lep.: Tortricidae) – An update. *Mark Parsons and James McGill*, 49-52
- (The) changing moth and butterfly fauna of Britain – the first decade of the twenty-first century (2000-2009). *Mark Parsons*, 13-22
- Cnephasia pumicana* (Zeller, 1847) (Lep.: Tortricidae) stat. rev. newly recognised as British. *John L. Langmaid and David J. L. Agassiz*, 137-142
- Contribution to the Bulgarian macrolepidoptera fauna (Lepidoptera: Geometridae, Noctuidae). *Stoyan Beshkov*, 175-181

F

- Further British records of *Baryproctus barypus* (Marshall) (Hym.: Braconidae) from North Kent with notes on variation. *Laurence Clemons*, 209-212

G

- Gorgyra stewarti* sp.nov. – a surprising new Skipper butterfly from Cameroun and the Democratic Republic of Congo (Lep.: Hesperidae). *Torben B. Larsen*, 55-58.

I

- Insects of Waveney Forest (Fritton Warren) in East Norfolk. *Tim Gardiner*, 155-162

M

- Microlepidoptera Review of 2009. *J. R. Langmaid and M. R. Young*, 233-253

N

Notes on the early stages of The Triangle *Heterogenea asella* ([D. & S.], 1775) (Lep.: Limacodidae). *R. J. Heckford, B. P. Henwood and S. D. Beavan*, 97-111

O

Observations on the use of wing-markings and genitalia to distinguish Dark-Barred Twin-Spot Carpet *Xanthorhoe ferrugata* (Cl.) and Red Twin-Spot Carpet *X. spadicearia* ([D. & S.]). (Lep.: Geometridae) and on the implications for recording these species. *Martin Townsend*, 120-127

P

Perching and patrolling continuum at favoured hilltop sites on a ridge: a mate location strategy by the Purple Emperor butterfly *Apatura iris*. *R. J. C. Page*, 61-70

Plumbeous Spruce Tortrix *Cymolomia hartigiana* (Saxesen, 1840) (Lep.: Tortricidae) new to the British Isles. *Matthew J. Deans and Jon Clifton*, 8-11

Ponera testacea (Emery, 1895) (Hym.: Formicidae) new to Britain from Dungeness, East Kent. *P. J. Attewell, C. A. Collingwood and A. Godfrey*, 112-119

Population size and dispersal ability of *Cryptocephalus nitidulus* (Linnaeus, 1758) (Col.: Chrysomelidae). *R. W. Piper and S. G. Compton*, 257-264

T

Tortricid moths new to the Bulgarian and European fauna (Lepidoptera: Tortricidae). *Boyan Zlatkov and Yuriy Budashkin*, 87-92

Two changes in nomenclature within the genus *Acrotrichis* Motschulsky (Col.: Ptiliidae) from Sri Lanka and Panama. *Colin Johnson*, 43-44

Two new species of Noctuidae (Lepidoptera), Subfamilies Hypenodinae and Hypenidae, from Fiji. *John Clayton*, 219-223

2: NOTES

A

A further occurrence of the antlion *Euroleon nostras* (Geoffr. in Fourcroy) (Neur.: Myrmeleontidae) in Norfolk. *Ian Mills and Dave Hipperson*, 271

A record of *Cydia inquinatana* (Hb.) (Lep.: Tortricidae) from Suffolk. *Jeff B. Higgott and Robin M. Harvey*, 199-201

A record of *Sciota hostilis* Stephens) (Lep.: Pyralidae) from Kent and some notes on its occurrence in the county. *P. J. Jewess*, 167-168

A striking aberrant form of *Catocala nupta* (L.) (Lep.: Noctuidae). *Gerard Band*, 144-145

A tale of two Water Bugs: *Notonecta glauca* L., 1758 and *Corixa iberica* Jansson, 1981 (Heteroptera). *Nick J. Riddiford*, 204-206

An alternative to slide-mounting for moth genitalia. *Richard Dickson*, 32-33

Autumn migration of the Painted lady *Vanessa cardui* (L.) (Lep.: Nymphalidae). *Peter Oliver*, 183

B

Biology of *Phytomyza* (*Chromatomyia*) *aprilina* Goureau, 1851 (Dip.: Agromyzidae). *Keith P. Bland*, 230-231

Bucculatrix maritima (Stt.) (Lep.: Bucculatricidae) feeding in October at two English sites. *Robert Homan*, 279-280

C

- Caloptilia leucapennella* (Stephens) (Lep.: Gracillariidae) at Jealott's Hill, Berkshire. *Ian Sims*, 195-196
- Calybites phasianipennella* (Hb.) (Lep.: Gracillariidae) larvae in Berkshire. *Ian Sims*, 172-173
- Chestnuts galore. *Mark Cubitt*, 197-199
- Cosmopterix zieglerella* (Hb.) (Lep.: Cosmopterigidae) in east Berkshire, an update. *Ian Sims*, 59
- Cosmopterix zieglerella* (Hb.) (Lep.: Cosmopterigidae) in Staffordshire: A new moth to the West Midlands area. *Jon and Ad Clifton*, 42
- Crombrughia laetus* (Zell.) (Lep.: Pterophoridae) new to Ireland. *Tony Bryant and K. G. M. Bond*, 34
- Cydia pactolana* (Zeller 1840) (Lep.: Tortricidae): new to Buckinghamshire. *Peter Hall*, 146-147

D

- Devon Carpet *Lampropteryx otregiata* (Metcalf) and Tree-lichen Beauty *Cryphia algae* (Fabr.): Two new macro moth species in Huntingdonshire (VC 31). *Barry Dickerson*, 52
- Devon Carpet *Lampropteryx otregiata* (Metcalf) (Lep.: Geometridae) in Suffolk – an update. *Jeff B. Higgott*, 4
- Devon Carpet *Lampropteryx otregiata* (Metcalf) (Lep.: Geometridae) in Warwickshire. *David C. G. Brown*, 4
- Devon Carpet *Lampropteryx otregiata* (Metcalf) (Lep.: Geometridae) – new for Buckinghamshire in 2009. *Dave Wilton*, 4-5
- Diaphania perspectalis* (Walker, 1859) (Lep.: Crambidae) in Hertfordshire. *James Fish and Julian Reeves*, 203-204
- Discestra trifolii* (Hufn.) (Lep.: Noctuidae), the Nutmeg in West Sutherland. *Stephen Palmer*, 153

E

- Ectoedemia amani* Svensson (Lep.: Nepticulidae) in Bedfordshire (VC 30), and a review of the current British records. *D. V. Manning and B. Dickerson*, 207-208
- Ectoedemia longicaudella* Klimesch, 1953 (Lep.: Nepticulidae) new to Britain. *Peter Hall*, 112
- Editorial Comment on *Rhamphus oxyacanthae*. *Colin W. Plant*, 30
- Enemies of figwort weevils *Cionus* sp. (Col.: Curculionidae). *Ross Piper*, 84-86
- Ethmia quadrillella* Goeze (Lep.: Ethmiidae) on the Channel Islands – a correction. *Philip J. L. Gould*, 224
- Extreme mothing: Capture of three White-spotted Pinion moths *Cosmia diffinis* (L.) (Noctuidae) at light in Bedfordshire during four hours of pouring rain and other recent news of this UK Biodiversity Action Plan Priority Species. *Paul Waring*, 53-54

F

- Footman moths (Lep.: Arctiidae, Lithosiinae) in a Berkshire garden 2007 to 2009, with special reference to the Hoary Footman *Eilema caniola* (Hb.). *Roger Hayward*, 2-3

H

- Hazards of butterfly collecting – killing an African skipper (*Papilio flesus* Fabricius, 1781 = *Sarangesa aza* Evans, 1951 syn. nov.). *Torben B. Larsen*, 163-166
- Hazards of butterfly collecting. Oxyliodes faunas and informal distance learning – Ghana, 2005. *Torben B. Larsen*, 5-7
- Hymenaphorura nova* Pomorski, 1990 (Collembola: Onychiuridae) in the hyporheos of a karstic river: a new species and genus for the UK in a novel habitat. *P. J. A. Shaw, M. Dunscombe and A. Robertson*, 213-215

I

Important records from the Rothamsted Estate, Harpenden, Hertfordshire (VC 20) in 2009. *Philip J. L. Gould*, 254-256

Important records from the Rothamsted Insect Survey light-trap on Guernsey 2008. *Philip J. L. Gould*, 28-29

Interesting Lepidoptera in Devon during 2009. *Roy McCormick*, 33-34

J

Juniper shieldbug *Cyphostethus tristriatus* (Fabr.) (Het.: Acanthosomatidae) in Perthshire, Scotland. *D. Horsfield*, 154

K

Key jangling – a little known technique for calming agitated moths. *Charles Fletcher*, 93

L

Lepidoptera mines on Evergreen Oak *Quercus* sp. in Huntingdonshire. *Barry Dickerson, Andy Banthorpe and Melissa Banthorpe*, 162-163

Lindenia tetraphylla (Vander Linden, 1825) (Odonata: Gomphidae) a new genus and species for the Bulgarian fauna. *Victor Gashtarov and Stoyan Beshkov*, 272-274

Lyme Grass *Chortodes elymi* (Tr.) (Lep.: Noctuidae) in both Lancashire Vice Counties, 59 and 60. *Stephen Palmer*, 229

M

Macro Moth Status Changes in West Lothian (VC 84). *Mark Cubitt*, 148-153

Moths new to the Isle of Wight in 2009. *Sam Knill-Jones*, 5

N

Nephoterix angustella (Hb.) (Lepidoptera: Pyralidae) new to Ireland. *Tony Bryant*, 266

Northern Rustic *Standfussiana lucerneae* (L.) (Lep.: Noctuidae): new to Suffolk. *Matthew J. Deans*, 60

Notable British barkfly (Psocoptera) observations in 2008 and 2009. *R. (Bob) E. Saville*, 170-172

Notes on *Cionus scrophulariae* (L.) (Col.: Curculionidae). *Clive R. Curtis*, 265-266

O

Observations on Winter Moths *Operophtera brumata* (L.) (Lep.: Geometridae) during the winter of 2009-2010. *Dafydd Lewis*, 94-95

On the distribution of *Propomacrus bimucronatus* (Pallas, 1781) (Col.: Euchiridae) in Bulgaria. *Rostislav Bekchiev and Boyan Zlatkov*, 274-275

P

Pammene fasciana (L.) (*juliana* [Steph.]) (Lep.: Tortricidae): a review of the historical and current status in Scotland. *Matthew J. Deans*, 173-174

Pammene giganteana (Peyerimhoff, 1863) (Lep.: Tortricidae) new to Buckinghamshire (VC 24). *Dave Wilton*, 147

Peyerimhoffina gracilis (Schneider (Neur.: Chrysopidae) – fourth British locality. *Colin W. Plant*, 278-279

Phyllonorycter muelleriella (Zeller, 1839) (Lep.: Gracillariidae) in Glamorgan (VC 41). *David Slade*, 195

- Prays peregrina* Agassiz, 2007 (Lep.: Yponomeutidae) – a further record from north-west Kent. *Paul Sokoloff*, 207
- Pseudatemelia flavifrontella* (D. & S.) (Lep.: Oecophoridae) new to Huntingdonshire, VC 31. *Philip J. L. Gould*, 213

R

- Rhamphus oxyacanthae* (Marsham) (Col.: Curculionidae) reared from Pear *Pyrus communis*. *Robert Homan*, 29-30

S

- Second record of the Clay Fan-foot *Paracolax* Fabr. (Lep.: Noctuidae) for Dorset, VC 9. *Philip J. L. Gould*, 276-277
- Stegania cararia* (Hb.) (Lep.: Geometridae) at Merriott, Somerset – the first record for mainland Britain. *David Evans*, 11-12
- Stigmella samiatella* (Zell.) (Lep.: Nepticulidae) bred from Oak *Quercus robur*. *Charles H. Fletcher*, 73

T

- The ant-lion *Euroleon nostras* (Geoffroy in Fourcroy, 1785) (Neur.: Myrmeleontidae): New to Essex. *Jerry Bowdrey and Clive Atkins*, 143
- The Concolorous *Chortodes extrema* (Hb.) (Lep.: Noctuidae) in Huntingdonshire. *Barry Dickerson*, 86
- The Raspberry Clearwing *Pennisetia hylaeiformis* (Laspeyres) (Lep.: Sesiidae) in Hertfordshire, VC 20. *Philip J. L. Gould*, 202-203
- The Ruddy Carpet *Catarhoe rubidata* ([D. & S.], 1775) (Lep.: Geometridae) in Saffron Walden, Essex, 2004-2009. *Chris Tyler-Smith and Yali Xue*, 92
- The Scarlet Tiger *Callimorpha dominula* (L.) in Hertfordshire and Middlesex. *Colin W. Plant*, 264-265
- The Small Ranunculus *Hecatera dysodea* (D. & S.) (Lep.: Noctuidae) in Rothamsted Insect Survey Light Traps. *Philip J. L. Gould*, 277-278
- The status of the Olive Crescent *Trisateles emortualis* (D. & S.) (Lep.: Noctuidae) and the Many-lined, *Costaconvexa polygrammata* Borkh. (Lep.: Geometridae) on the Channel Islands. *Philip J. L. Gould*, 217-218
- The winter generation of *Chromatomyia aprilina* (Goureau 1851, Dip.: Agromyzidae): more established than thought. *Robert Homan*, 169
- Turning disaster to advantage: *Phryxe vulgaris* (Fall.) (Dip.: Tachinidae) reared from larva of the Lappet moth *Gastropacha quercifolia* (L.) (Lep.: Lasiocampidae) – apparently a new host record. *Colin W. Plant*, 216
- Tuta absoluta* (Meyrick, 1917: Lep: Gelechiidae): an adventive species new to Britain. *Robert Homan*, 31-32
- Two species of hornbeam-feeding microlepidoptera new to Berkshire. *Ian Sims*, 166

V

- Volucella zonaria* (Poda) (Dip.: Syrphidae) in Northamptonshire. *K. F. Williams*, 59

W

- Welsh Wave *Venusia cambrica* Curtis (Lep.: Geometridae) in Middlesex. *Debbie Pledge*, 190

X

- Xestia trifida* (Fischer von Waldheim, 1820) (Lep.: Noctuidae): first report for Bulgaria, with some additional faunistic records. *Stoyan Beshkov and Radko Radev*, 224-228

3: SUBSCRIBERS' NOTICES AND ANNOUNCEMENTS

A. A. Allen, Editor, 266

4: BOOK REVIEWS

Flora of Hertfordshire by Trevor J. James, 47-48

Identification keys to the microlepidoptera of The Netherlands by Joop H. Kuchlein and Leo E. J. Bot, 231

Les Pyrales de la Manche by Nicole Lepertel and Jean -Paul Quinette, 45-46

The Geometrid Moths (Lepidoptera, Geometridae) of Mt. Fruška Gora (Northern Serbia) by D. V. Stojanović, S. B. Ćurčić & M. M. Brajković, 184

The Plant- and Leafhoppers of Germany by Robert Biedermann and Rolf Niedringhau, s44-45

The Witt Catalogue. A taxonomic atlas of the Eurasian and North African Noctuoidea. Cuculliinae I. by Ronkay, G. and Ronkay, L., 46-47

Tortricidae of the Palaearctic Region. Volume 2: Cochylini by József Razowski, 48

5: OBITUARIES

Reginald Arthur Bell, 71-73

6: CONTRIBUTORS

Page number entries **in bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic* type.

- | | | | |
|---|--|--|--|
| Agassiz, David J. L..... | 137-142 | Hipperson, Dave | 271 |
| Ashe, Patrick | 267-271 | Homan, Robert ..29-30, 31-32, 169, 279-280 | |
| Atkins, Clive | 143 | Horsfield, D. | 154 |
| Attewell, P. J. | 112-119 | Jewess, P. J..... | 167-168 |
| Band, Gerard | 144-145 | Johnson, Colin | 43-44 |
| Banthorpe, Andy..... | 162-163 | Knill-Jones, Sam..... | 5 |
| Banthorpe, Melissa..... | 162-163 | Langmaid, John R. | 137-142, 233-253 |
| Beavan, S. D. | 97-111 | Larsen, Torben B..... | 5-7, 55-58 , 163-166 |
| Bekchiev, Rostislav | 274-275 | Lewis, Dafydd | 94-95 |
| Beshkov, Stoyan..... | 175-181 , 224-228,
272-274 | Manning, D. V. | 207-208 |
| Bland, Keith P..... | 230-231 | McCormick, Roy | 33-34 |
| Bond, K. G. M. | 34 | McGill, James..... | 49-52 |
| Bowdrey, Jerry..... | 143 | Mills, Ian..... | 271 |
| Brown, David C. G. | 4 | Mineo, Giovanni..... | 267-271 |
| Bryant, Tony | 34, 266 | Myler, Robert | 23-27 |
| Budashkin, Yuriy | 87-92 | O'Connor, James P. | 267-271 |
| Clayton, John..... | 219-223 | Oakes, Laurie..... | 185-190 |
| Clemons, Laurence | 209-212 | Oakes, Helen | 185-190 |
| Clifton, Ad | 42 | Oliver, Peter | 183 |
| Clifton, Jon | 42, 8-11 , 185-190 | Page, R. J. C. | 61-70 |
| Collingwood, C. A. | 112-119 | Palmer, Stephen | 153, 229 |
| Compton, S. G..... | 257-264 | Parsons, Mark..... | 13-22, 49-52 |
| Cook, Laurence M..... | 23-27 | Piper, Ross W. | 84-86, 257-264 |
| Cubitt, Mark | 148-153, 197-199 | Plant, Colin W. | 30, 128-136, 185-190 ,
216, 264-265, 278-279 |
| Curtis, Clive R..... | 265-266 | Pledge, Debbie | 190 |
| Deans, Matthew J. | 8-11 , 60, 173-174 | Radev, Radko..... | 224-228 |
| Dickerson, Barry ..52, 86, 162-163, 207-208 | | Reeves, Julian..... | 203-204 |
| Dickson, Richard | 32-33 | Riddiford, Nick J. | 204-206 |
| Dunscombe, M. | 213-215 | Robertson, A..... | 213-215 |
| Evans, David..... | 11-12 | Saville, R. E. | 35-42 , 170-172 |
| Fish, James | 203-204 | Shaw, P. J. A. | 213-215 |
| Fletcher, Charles H. | 73, 93 | Sims, Ian..... | 59, 166, 172-173, 195-196 |
| Gardiner, Tim | 155-162 | Slade, David..... | 195 |
| Gashtarov, Victor..... | 272-274 | Smyllie, Bill..... | 74-84 |
| Godfrey, A..... | 112-119 | Sokoloff, Paul | 207 |
| Gould, Philip J. L. | 28-29, 202-203, 213,
217-218, 224, 254-256,
276-277, 277-278 | Townsend, Martin..... | 120-127 |
| Hall, Peter | 112, 146-147 | Tyler-Smith, Chris | 92 |
| Harvey, Robin M. | 199-201 | Waring, Paul | 53-54 |
| Hayward, Roger..... | 2-3 | Williams, K. F. | 59 |
| Heckford, R. J..... | 97-111, 191-194 | Wilton, Dave..... | 4-5, 147 |
| Henwood, B. P. | 97-111 | Xue, Yali | 92 |
| Higgott, Jeff B. | 4, 199-201 | Young, M. R. | 233-253 |
| | | Zlatkov, Boyan | 87-92 , 274-275 |

SPECIAL INDEX

Compiled by Catherine Wellings

Newly described taxa are indicated in **bold type**

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are denoted by an asterisk.

	Page		Page
LEPIDOPTERA			
absoluta, Tuta *	31-32*, 234, 245	antiopa, Aglais	160
acanthadactyla, Amblyptilia	253	antiopa, Nymphalis	160
aceris, Stigmella	237	aprilina, Dichonia	183, 196
acetosae, Enteucha	237	arcuatella, Ectoedemia	236
achatana, Ancyliis	249	areola, Xylocampa	151
Acronicta	53	argiolus, Celastrina	160
acroxantha, Tachystola	243	argoteles, Emmelina	14
acuminatana, Dichrorampha	251	argyrana, Pammene	147
acutellus, Sclerocona	252	argyropeza, Ectoedemia	236
adelphella, Salebria	168	aridella, Pediasia	251
adelphella, Sciota	168	arion, Maculinea	14, 17
adjectella, Coleophora	242	artaxerxes, Aricia	74-84
advenella, Trachycera	253	asbolaea, Barea *	185-190
aegeria, Pararge	160	asella, Heterogenea	97-111
aeneofasciella, Stigmella	236	asseclana, Cnephassia	141
aeriferanus, Ptycholomoides	247	assimilis, ssp. of zeta, Apamea	151
aestivella, Metzneria	244	atalanta, Vanessa	15, 17, 19, 67, 68, 160
affinis, Bryotropha	244	atomella, Agonopterix	244
affinis, Cosmia	53-54, 208	atra, Blastodacna	246
agathina, Xestia	151	atrata, Odezia	145
agestis × artaxerxes, Aricia	74-84	atricapitella, Stigmella	163
agestis, Aricia	74-84, 155, 160	atrifrontella, Ectoedemia	112, 234, 236
agestis, Plebeius	155, 160	atriplicella, Scrobipalpa	245
albicosta, Coleophora	242	aureatella, Micropterix	235
albidella, Coleophora	242	aurinia, Eurodryas	145
albipuncta, Mythimna	15, 17	autumnitella, Acrolepia	241
albistria, Argyresthia	240	aza, Sarangesa	164, 165, 166
albuginana, Pammene	250	azaleella, Caloptilia	239
albula, Meganola	255	bajularia, Comibaena	167
albulata, Perizoma	254, 255	basigutella, Stigmella	162-3
algae, Cryphia	17, 52, 60	baynesi, ssp. of tages, Erynnis	145
alnetella, Stigmella	237	betulinella, Nemaxera	238
alniaria, Ennomos	150	bicolorata, Hecatera	152
alpinella, Platytes	251	bifaciata, Perizoma	152
alpium, Moma	33	bifasciana, Spatalistis	248
alstromeriana, Agonopterix	244	bilunana, Epinotia	207, 249
amani, Ectoedemia	207-208	bimaculata, Lomographa	150
ambigualis, Scoparia	252	binaevella, Phycitodes	253
ancipitella, Scoparia	252	bisselliella, Tineola	238
anderidae, Phyllonorycter	239	bistriatella, Apomyelois	253
anglica ssp. sororiata, Carsia	150	biviella, Vitula	9, 253
angustella, Nephopterix	266	blancardella, Phyllonorycter	239
angustiorana, Ditula	51	blandiata, Perizoma	152
angustivalva sp. nov. , Fealathina	219-223	blattariella, Anacamptis	245
anomala, Stilbia	148	branderiana, Pseudosciaphila	167
anthyllidella, Aproaerema	9	brassicae, Pieris	160
		britannica, Thera	150

brumata, Operophtera	94-95	conterminella, Agonopterix	244
brunneata, Itame	201	contigua, Lacanobia	173
bucephala, Phalera	151	continuella, Stigmella	236
buettneri, Sedina	13	convolvuli, Agrius.....	149
bulgarica, Valerietta	226	conwagana, Pseudargyrotoza.....	247
buoliana, Rhyacionia	250	coryli, Colocasia	148
caecana, Grapholita.....	250	costaestrigalis, Schrankia.....	151
caesiata, Entephria	149	costella, Scrobipalpa	245
caespititiella, Coleophora	242	costipunctana, Epiblema	250
cagnagella, Yponomeuta	241	croceago, Jodia	18
c-album, Polygonia	160	croceus, Colias	15
caledoniana, Acleris	248	croesella, Adela.....	238
calycotomella, Coleophora	16	cruciata, Heterogenea	106
cambrica, Venusia	173, 190	cruda, Orthosia.....	151
camilla, Limenitis	155, 157, 160	cuculipennella, Caloptilia	239
canapennella, Elachista.....	243	culmella, Chrysoteuchia	251
candefacta, Acontia.....	175, 177, 178, 179	cuneatella, Gelechia	245
caniola, Eilema	2-3	cuprella, Adela	237
cararia, Stegania *	11-12	cupressella, Argyresthia	240
cardamines, Anthocharis.....	160	cupriacella, Nemophora	237
cardui, Vanessa	160, 183	cydoniella, Phyllonorycter	239
carmelita, Odontosia.....	151	cynosbatella, Epiblema	250
carphodactyla, Euleioptilus.....	253	decentella, Ectoedemia	236
carpinata, Trichopteryx	148	demarniana, Epinotia	249
carpinella, Parornix.....	22, 166, 182, 196	dentalis, Cynaeda.....	252
carpinella, Stigmella	22, 166	dentella, Ypsolopha.....	241
caudata, Fealathina	220	depressa, Eilema.....	2-3
centaureata, Eupithecia.....	152	dianthii, Anarta	226
cerasana, Pandemis	247	didyma, Mesapamea	134
cespitana, Celypha	248	diffinis, Cosmia	53-54
cherrug, Polia.....	227	diffinis, Teleiopsis.....	5, 244
christyi, Epirrita	150	dilutella, Pempeliella	253
chrysitis, Diachrysia	128-136	dimidiata, Idaea.....	150
chrysolepidella, Eriocrania	235	diminutana, Ancyliis	249
chrysorrhoea, Euproctis	110	discordella, Coleophora	242
cilialis, Nascia.....	252	dispar, Lymantria	13, 17
cingillella, Elachista.....	243	distinctella, Chionodes.....	244
cingulata, Pyrausta.....	252	dodecea, Ethmia.....	244
cirsiana, Epiblema.....	250	dodecella, Exoteleia.....	244, 253
clavis, Agrotis	152	domestica, Bryotropha	244
clematella, Nemapogon	238	domestica, Cryphia	152
clerkella, Lyonetia.....	241	dominula, Callimorpha	264-265
clypeiferella, Coleophora.....	28	dubiella, Tinea.....	238
cnicana, Aethes	247	dubitella, Phyllonorycter.....	239
c-nigrum, Xestia	53	dysodea, Hecatera.....	13, 277-278
cognata, Thera.....	149	efformata, Aplocera	150
comitata, Pelurga	149	effractana, Acleris	14, 248
complana, Eilema	2-3	electa, Catocala	5
compositella, Grapholita.....	250	elegans, Kentrochrysalis	224
confusa, Haden.....	151	elymi, Chortodes.....	229
confusa, Macdunnoughia.....	17	emortualis, Trisateles.....	15, 217-218
confusalis, Nola	151	epiphron, Erebia.....	83
conjugella, Argyresthia	240	eremita, Dryobotodes.....	152
conjunctana, Cydia	87-92	erxlebella, Roeslerstammia.....	239
consimilana, Clepsis	247	euphrosyne, Boloria.....	144

exiguata, Eupithecia.....	150	genitalana, Cnephasia	137, 141, 248
exsoleta, Xylena.....	152	germmana, Pammene.....	250
extrema, Chortodes	86	giganteana, Pammene	147, 250
fagaria, Dyscia	151	gilvago, Xanthia.....	149
fagi, Stauropus	167	gilvicomana, Phalonidia	247
fagiglandana, Cydia	251	glabratella, Argyresthia.....	240
falcataria, Drepana.....	150	glaucinalis, Orthopygia.....	252
falciformis, Epermenia	251	glaucinella, Argyresthia	240
fascelina, Dicallomera	173	gracilis, Orthosia.....	151
fasciana, Pammene	173-4, 250	grandipennis, Scythris.....	246
faunus, Oxyliodes.....	5-7	griseana, Zeiraphera.....	249
fenestratella, Monopis.....	238	grisella, Achroia.....	253
ferrugalis, Udea.....	252	griseola, Eilema	2-3, 53
ferrugana, Acleris.....	248	gryphipennella, Coleophora.....	242
ferrugata, Xanthorhoe.....	120-127	haasi, Plutella.....	234, 241
festaliella, Schreckensteinia.....	251	halterata, Lobophora	150
festucae, Plusia	134	hannoverella, Ectoedemia.....	16, 236
fibulella, Adela.....	238	harouni, Nola	176, 177, 179
fijiensis, Hypena	223	harpagula, Sabra	28
filicivora, Psychoides.....	238	hartigiana, Cymolomia *	8-11, 234, 248
finitimella, Parornix.....	239	heckfordi, Ectoedemia	233, 236
flammealis, Endotricha	252	hellerella, Blastodacna.....	246
flavicaput, Spuleria	246	hepariella, Zelleria	241
flaviciliana, Cochylis	247	hepatica, Lithophane.....	151
flavidorsana, Dichrorampha	251	heringella, Ectoedemia.....	18, 162, 182, 196, 236
flavifrontella, Pseudatemelia	213, 243	heringi, Cnephasia	87-92
flavimitrella, Lampronia.....	237	hesperica, ssp. of leautieri, Lithophane ..	151
flesus, Papilio	163-166	hibernica, ssp. of aurinia, Eurodryas	145
flesus, Tagiades.....	165, 166	hortulata, Eurrhyncha	252
fluctuata, Xanthorhoe	53	hospes, Proxenus.....	15
fluctuosa, Tetheella	173	hostilis, Sciota	167-8
fluxa, Chortodes	255, 256	hostis, Phyllonorycter	239
follicularis, Coleophora	242	hreblayi, Valerietta.....	224, 226, 227, 228
forficalis, Evergestis	252	hungarica, ssp. of dianthii,	
forficella, Donacaula.....	251	Anarta (Hadula)	226, 228
forsskaleana, Acleris	248	hyemana, Acleris.....	248
forsterella, Glyphipterix.....	240	hylaeiformis, Pennisetia	16, 202-203
fovealis, Duponchelia	252	hyperantus, Aphantopus.....	160
fraxinella, Prays	241	ibipennella, Coleophora.....	242
fraxini, Catocala.....	17	icarus, Polyommatus.....	160
froelichiella, Phyllonorycter	240	imella, Monopis	238
fulvalis, Udea.....	252	immutata, Scopula	33
fulviguttella, Phaulernis.....	251	incarnatella, Rhigognostis.....	241
fulvimitrella, Triaxomera.....	238	incertana, Cnephasia	248
fumatella, Chionodes	244	incongruella, Amphisbatis	243
funebrana, Grapholita	250	inconspicua, Dichrorampha	87-92
furfurana, Bactra	249	inconspecta, Dichrorampha.....	87-92
furuncula, Mesoligia.....	95	inopiana, Phtheochroa.....	247
fuscalis, Opsibotys.....	252	inquinatana, Cydia.....	199-201, 251
fuscescens, Borkhausenia	243	insecurella, Epermenia.....	251
fuscicornis, Coleophora	242	inspersella, Scythris	247
gallii, Hyles.....	17	instabilella, Scrobipalpa.....	245
gamma, Autographa.....	9, 134	interpunctella, Plodia	253
gangabella, Elachista	243	interrogationis, Syngnatha.....	151
genistella, Pempelia	253		

intexta, Cydia.....	87-92	lineola, Thymelicus.....	160
intimella, Ectoedemia	236	liturosa, Agonopterix	195
intricata, Eupithecia	150	ljungiana, Argyrotaenia.....	247
io, Inachis.....	160	lobarzewski, Grapholita.....	250
ipsilon, Agrotis.....	60	lobella, Luquetia	243
iris, Apatura	61-70, 107	locupletella, Mompha	195, 246
italica, Metalampra	16	logiana, Acleris	248
ivella, Argyresthia.....	195	longana, Cnephasia.....	247
janthe, Noctua	53	longicaudella, Ectoedemia * 112*, 234, 236	
janthina, Noctua.....	16, 60	loniceræ, Zygaena.....	150
janthinana, Grapholita.....	250	lophyrella, Sorhagenia	246
josephinae, Pseudatemelia	243	lucens, Amphipoea.....	153
jubata, Alcis	150	lucernea, Standfussiana.....	60, 152
juncta, f. of chrysis, Diachrysia....	128-136	lucidella, Monochroa	244
jungiella, Grapholita	250	luctuosa, Tyta	92
juniperata, Thera	149	lunana, Philedonides	247
jurassicella, Mompha	246	lunosa, Omphaloscelis	152
jurtina, Maniola.....	160	lupulinus, Hepialus	152
kadenii, Platyperigea.....	16	lurideola, Eilema	2-3
kuehniella, Ephestia.....	253	lusciniæpennella, Coleophora.....	242
labecula, Dryobota.....	18, 34	lutarea, Metriotes	182, 196
laburnella, Leucoptera	241	luticomella, Elachista.....	242
lacertinaria, Falcaria	60	lutipennella, Coleophora.....	242
lacteana, Bactra.....	249	lutosa, Rhizedra	152
lacteella, Mompha.....	246	lutulentella, Monochroa.....	244
lacticolella, Blastobasis.....	245	mabira, ssp. of thecla, Sarangesa.....	164
laetus, Crombrugghia.....	34	macularia, Pseudopanthera	145
laetus, Oxyptilus	253	maculicerusella, Elachista.....	243
laevigatella, Argyresthia	240	maculosana, Hysterophora.....	247
laichartingella, Diplodoma	238	maesseni, Fresna	58
lamii, Phlogophora	134	magdalenæ, Stigmella.....	237
lanestris, Eriogaster.....	145	malifoliella, Leucoptera.....	241
langiella, Mompha	5, 246	manniana, Phalonidia.....	247
laricana, Spilonota	250	margaritella, Catoptria	251
laricella, Coleophora.....	242	marginana, Endothenia	249
lariciata, Eupithecia	149	marginæa, Emmetia	237
lassella, Coleophora.....	242	maritima, Bucculatrix.....	279-280
lathyrana, Grapholita	250	maritimus, Chilodes.....	151
latistria, Agriphila	251	maura, Mormo	152
latomarginata, ssp. of loniceræ,		megea, Lasiommata.....	155, 157, 160
Zygaena.....	150	melinus, Strymon.....	69
latruncula, Oligia	151	mellinata, Eulithis	149
lautella, Phyllonorycter.....	195	mesomella, Cybosia.....	2-3
leautieri, Lithophane.....	151	messingiella, Eidophasia.....	241
lemnata, Cataclysta	252	messmeri, Autographa	134
lemniscella, Stigmella.....	236	meticulosa, Phlogophora.....	134
leucapennella, Caloptila	182, 195-196	metzneriana, Eucosma	250
leucogaster, Ochropleura	226	micæa, Hydraecia.....	224
leucographella, Phyllonorycter	239	micana, Olethreutes	248
leucophaearia, Agriopis	150	micella, Argolamprotes.....	244
lichenea, Polymixis.....	149	microgrammana, Cydia.....	251
limacodes, Apoda.....	101-111	millieraria, ssp. of intricata, Eupithecia	150
limbata, Evergestis.....	252	millieridactyla, Stenoptilia.....	253
linariata, Eupithecia	149	miniata, Miltochrista	2-3
lineatella, Anarsia	245	minus, Cupido.....	145

molliculana, *Cochylis*247
 moneta, *Polychrysa*.....149
 monoglypha, *Apamea*53
 montivaga, *Euxoa*178, 179, 180
 morronensis, *Arcia*.....82
 mucronellus, *Donacaula*251
 muelleriella, *Phyllonorycter*195
 mulinella, *Mirificarma*.....244
 munda, *Orthosia*.....151
 mundana, *Nudaria*.....149
 muricolor, ssp. of *exiguata*, *Eupithecia*..150
 musculosa, *Oria*18
 myrtillana, *Ancylis*.....249
 myrtillana, *Rhopobota*249
 myrtillella, *Stigmella*237
 naevana, *Rhopobota*.....249
 napi, *Pieris*160
 nemoralis, *Agrotera*.....252
 nervosa, *Agonopterix*.....244
 nigricomella, *Bucculatrix*238
 niphognatha, *Monochroa*244
 niphopasta, *Valerietta*.....224, 227, 228
 nitidalis, *Musotima*234, 252
 nobilella, *Elachista*.....243
 notatella, *Carpatolechia*244
 nubilalis, *Ostrinia*.....252
 nupta, *Catocala*144
 obelisca, *Euxoa*149
 obliquella, *Stigmella*.....237
 oblongana, *Endothenia*248
 obtusana, *Ancylis*.....249
 ocellana, *Agonopterix*244
 ocellana, *Spilonota*.....250
 ocellata, *Cosmorhoe*53
 ochraceella, *Mompha*.....246
 oculea, *Amphipoea*52, 149
 oehlmanniella, *Incurvaria*237
 ohridella, *Cameraria*16, 234, 240
 oleae, *Prays*241
 olivalis, *Udea*252
 omoscopa, *Opogona*14, 238
 ononidis, *Parectopa*.....239
 oo, *Dicycla*.....183, 196
 operculella, *Phthorimaea*31
 oppressana, *Gypsonoma*250
 otregiata, *Lampropteryx*4-5, 52
 pactolana, *Cydia*146-147
 padellus, *Yponomeuta*.....262
 paleana, *Aphelia*.....247
 pallidactyla, *Platyptilia*253
 palpella, *Aplota*243
 pamphilus, *Coenonympha*157, 160
 papilionaria, *Geometra*9
 parasitella, *Triaxomera*238
 parvidactylus, *Oxyptilus*34

pascuella, *Crambus*251
 pasiuana, *Cnephasia*137-142, 234
 pastinum, *Lygephila*.....256
 peltigera, *Heliothis*.....151
 peregrina, *Prays*16, 207
 periodica, *Barea*187
 perlella, *Crambus*.....251
 perlucidalis, *Phlyctaenia*.....252
 permixtana, *Gynnidomorpha*247
 persicariae, *Melanchra*.....152
 perspectalis, *Diaphania*....14, 203-204, 252
 perspectalis, *Glyphodes*203-204
 petasitis, *Hydraecia*.....152
 petiverella, *Dichrorampha*251
 phasianipenella, *Calybites*30-31,
 172-173, 182, 196, 239
 phlaeas, *Lycaena*160
 phocion, *Ceratrachia*.....56
 phragmitella, *Chilo*251
 phragmitella, *Limnaecia*246
 picaepennis, *Scythris*247
 piercei, *Aethes*.....247
 pilella, *Nematopogon*.....237
 pimpinellae, *Depressaria*.....185, 243
 pinastri, *Hyloicus*.....53
 pinguinalis, *Aglossa*252
 pini, *Dendrolimus*15, 17, 173, 174
 pinicolella, *Batrachedra*246
 platani, *Phyllonorycter*.....239
 plecta, *Ochropleura*.....53
 plumigeralis, *Pechipogo*17
 podolica, ssp. of *syriaca*, *Hadena*.....226
 polychromella, *Syncopacma*.....245
 polygrammata, *Costaconvexa*217-218
 pontica, *Craniophora*.....226
 populi, *Poecillocampa*.....150
 porcellus, *Deilephila*149
 porphyra, *Eudemis*249
 porrectella, *Plutella*.....241
 postvittana, *Epiphyas*.....51, 247
 potentillae, *Coleophora*.....242
 poterii, *Stigmella*.....236
 praeangusta, *Batrachedra*.....246
 prasinana, *Pseudoips*.....151
 primaria, *Theria*95, 150
 processionea, *Thaumetopoea*17
 propinquella, *Mompha*.....253
 prunata, *Eulithis*152
 prunetorum, *Stigmella*237
 prunifoliella, *Lyonetia*.....13, 241
 pterodactyla, *Stenoptilia*253
 puella ssp. *puella*, *Archiearis*175, 177
 puella, *Archiearis*175, 177
 pulcherrimella, *Depressaria*243
 pulchrimella, *Cosmopterix*16

pumicana, Cnephasia * .137-142*, 234, 247	ruficiliaria, Cyclophora.....16
punctidactyla, Amblyptilia.....253	rufifasciata, Gymnoscelis150
puppillaria, Cyclophora17	rufipennella, Caloptilia239
purpuralis, Zygaena145	ruralis, Pleuroptya.....53
purpurea, Agonopterix243	ruricolella, Nemapogon238
puta, Agrotis.....53	sabulosa, ssp. of purpuralis, Zygaena145
putnami, Plusia134	salicella, Hedyia.....248
pygmaeana, Epinotia.....249	salicicolella, Phyllonorycter239
pygmaeata, Eupithecia150	salopiella, Eriocrania236
pygmeaella, Argyresthia253	samadensis, Scrobipalpa245
pyralina, Cosmia53	samiatella, Stigmella.....73, 237
pyrausta, Ethmia244	sangiella, Syncopacma.....245
pyri, Stigmella.....237	sangii, Eriocrania236
quadrillella, Ethmia.....28, 60, 224	saturatella, Coleophora242
quadrimalaculana, Endothenia.....249	sauciana, Apotomis248
quadripuncta, Oegoconia245	scabrella, Ypsolopha241
quercana, Carcina243	schoenicolella, Glyphipterix240
querceti, Pammene87-92	schreberella, Phyllonorycter240
quercifolia, Gastropacha216	schulziana, Olethreutes.....191-194
quercus ssp. quercus, Lasiocampa150	schulziana, Philiaris191
quercus, Lasiocampa.....150	schumacherana, Olindia.....248
quercus, Neozephyrus.....63, 64, 107, 157, 160	schwarzella, Pancalia 246
quercus, Quercusia63,64	scolopacina, Apamea151
quinqueguttella, Phyllonorycter.....240	scopariella, Agonopterix5
ramulicola, Phyllocnistis.....16, 240	scotica ssp. juniperata, Thera.....149
rapae, Pieris.....160	secalis, Mesapamea.....134
ravida, Spaelotis.....18	sedatana, Dichrorampha251
reaumurella, Adela.....237	sehestediana, Prochoreutis.....240
rebeli, Blastobasis18, 245	semifascia, Caloptilia.....239
rectilinea, Hyppa.....173	semifasciana, Apotomis248
recurvalis, Spoladea252	semifulvella, Tinea.....238
reisseri, Phtheochroa87-92	semifusca, Argyresthia.....240
reliquana, Lobesia.....249	semipurpurella, Eriocrania.....236
reticulata, Heliophobus18	semitestacella, Argyresthia241
revayana, Nycteola151	senecionana, Clepsis247
rhamni, Gonepteryx160	senticetella, Gelechia245
rhamniella, Sorhagenia 246	sequella, Ypsolopha241
rhediella, Pammene.....250	seriata, Idaea150
rhododactyla, Cnaemidophorus5, 253	signaria, Macaria.....17
ribeata, Deileptenia150	signatana, Epinotia.....249
roborella, Phycita.....167	silaceata, Ecliptopera53
roborella, Stigmella.....237	simulans, Rhyacia.....149
robusta, Pandesma176, 177, 179, 180	singula, Neofriseria.....244
robustana, Bactra249	sociella, Aphomia253
rosana, Archips247	solidaginis, Lithomoia149
rubi, Callophrys157, 160	sordidatella, Depressaria.....243
rubi, Macrothylacia.....150	sororcula, Eilema.....2-3, 280
rubidata, Catantopha.....92	sororiata, Carsia150
rubiginata ssp. rubiginata, Plemysia150	spadicearia, Xanthorhoe120-127, 148
rubiginata, Plemysia.....150	sparrmannella, Eriocrania236
rubiginata, Scopula5	spinosella, Ectoedemia236
rubrescens sp. nov. , Hypena219-223	spissilimbaria, Idaea175, 177, 179
rubricollis, Atolmis52, 151	splendana, Cydia.....251
rufescens, Helcystogramma245	splendens, Lacanobia.....34
	sponsa, Catocala34

steinkellneriana, Semioscopis.....	243
stellatarum, Macroglossum.....	15, 151
stenochrysis, Diachrysia.....	128-136
stephensi, Dystebenna.....	182, 196
sternipennella, Coleophora.....	242
stewarti sp. nov. , Gorgyra.....	55-58
sticticana, Epiblema.....	250
strigulatella, Phyllonorycter.....	239
suavis, Pseudocoremia.....	16
subbistrigella, Mompha.....	246
suberivora, Stigmella.....	162, 237
subflavidus, Gorgyra.....	56, 57,
subpropinquella, Agonopterix.....	244
subtusa, Ipimorpha.....	149
succenturiata, Eupithecia.....	152
suffumata, Lampropteryx.....	4
suspecta, Parastichtis.....	149
svenssoni, Stigmella.....	237
swammerdamella, Nematopogon.....	237
sylvanus, Ochloides.....	160
sylvella, Ypsolopha.....	241
sylvestris, Thymelicus.....	160
sylvina, Hepialus.....	150
syriaca, Haden.....	226
syringaria, Apeira.....	150
taeniata, Perizoma.....	150
tages, Erynnis.....	145
tamesis, Coleophora.....	242
tedella, Epinotia.....	249
tenebrosa, Dryobotodes.....	16
tenuiata, Eupithecia.....	149
terebrella, Assara.....	9, 253
terminella, Mompha.....	246
ternata, Scopula.....	173
tetraquetrana, Epinotia.....	249
thecla, Sarangesa.....	164
thoracella, Bucculatrix.....	238
thrasonella, Glyphipterix.....	240
titania, Acontia.....	226
tithonus, Pyronia.....	160
tragopoginis, Amphipyra.....	53
trapezina, Cosmia.....	53
triatomea, Elachista.....	243
trifasciata, Argyresthia.....	240
trifida ssp. trifida, Xestia.....	227
trifida, Xestia.....	224-228
trifolii, Discestra.....	149, 153
trigeminella, Coleophora.....	242
trimaculana, Epiblema.....	250
trimaculosa, Polia.....	151
trinotella, Tinea.....	238
tripuncta, Telechrysis.....	243
tripunctaria, Eupithecia.....	149
triseriatella, Elachista.....	243

tresignaria, Eupithecia.....	150
tristalis, Paracolax.....	276-277
trochilella, Coleophora.....	242
truncicolella, Eudonia.....	252
turionella, Pseudococcyx.....	250
tutti, Diachrysia.....	128-136
tutti, Plusia.....	128-136
typhae, Nonagria.....	151
uddmanniana, Epiblema.....	250
ulmifoliae, Bucculatrix.....	16
umbrana, Acleris.....	248
unguicella, Ancyli.....	249
unidentaria, f. of ferrugata, Xanthorhoe.....	120-127
unimaculella, Eriocrania.....	235
unipuncta, Mythimna.....	17, 149
upupana, Ancyli.....	249
urania, Acontia.....	226
urticae, Aglais.....	160
ustella, Ypsolopha.....	182, 195, 241
ustulana, Endothenia.....	249
utonella, Biselachista.....	243
vaccinii, Conistra.....	197-199
variegana, Acleris.....	253
velocella, Aroga.....	244
venosata, Eupithecia.....	149
versurella, Coleophora.....	242
viretata, Acasis.....	150
virgaureata, Eupithecia.....	150
virgulata, Scopula.....	176, 177, 179
viridana, Tortrix.....	248
viscerella, Stigmella.....	237
vitellina, Mythimna.....	151
vittata, Blastobasis.....	14, 234, 245
voelkeri, Autographa.....	134
vulgana, Capua.....	247
wauaria, Macaria.....	149
weaverella, Monopis.....	238
weirana, Strophedra.....	250
woodiana, Celypha.....	49-52
ypsillon, Parastichtis.....	149
zeta assimilis, Apamea.....	151
zieglerella, Cosmopterix.....	42, 59, 246
zinckenella, Etiella.....	253
zoegana, Agapeta.....	247

COLLEMBOLA

Hymenaphorura nova *	213-215
Protaphorura armata.....	215
Proisotoma admaritma = Cryptopygus clavatus.....	215
Cryptopygus clavatus.....	215

ODONATA

Aeshna cyanea160
Aeshna grandis.....160
Aeshna isosceles155, 156, 158, 160
Aeshna mixta160
Brachytron pratense158, 160
Calopteryx splendens.....160
Coenagrion puella.....160
Enallagma cyanthigerum161
Ischnura elegans.....161
Libellula depressa158, 161
Libellula quadrimaculata158, 161
Lindenia tetraphylla.....272-274
Orthetrum cancellatum161
Pyrrhosoma nymphula158, 161
Selisiothemis nigra.....274
Sympetrum danae161
Sympetrum fonscolombii.....161
Sympetrum sanguineum161
Sympetrum striolatum161

ORTHOPTERA

Chorthippus albomarginatus158, 161
Chorthippus brunneus161
Chorthippus parallelus158, 161
Conocephalus discolor.....161
Conocephalus dorsalis159, 161
Leptophytes punctatissima.....159, 161
Meconema thalassinum159, 161
Metrioptera roeselii.....161
Myrmeleotettix maculatus158, 161
Omocestus viridulis158, 159, 161
Pholidoptera griseoaptera161
Stethophyma grossum.....159
Tetrix subulata159, 161
Tetrix undulata159, 161
Tettigonia viridissima159

HETEROPTERA

Arctocorisa germari206
Corixa iberica204-206
Corixa punctata.....205
Cyphostethus tristriatus154
Notonecta glauca204-206
Philaenus spumarius159

DIPTERA

Aulagromyza cornigera230, 231
Aulagromyza hendeliana230, 231

Aulagromyza luteoscutellata230
Chromatomyia aprilina169, 230, 231
Chromatomyia lonicerae230, 231
Chromatomyia periclymeni230, 231
Lipara rufitarsis209-212
Phryxe vulgaris216
Phytomyza aprilina230, 231
Phytomyza lonicerae.....230, 231
Phytomyza periclymeni230, 231
Volucella zonaria.....59

NEUROPTERA

Chrysoperla carnea278,279
Euroleon nostras143, 217, 271
Peyerimhoffina gracilis278-279
Tjederina gracilis.....278-279

COLEOPTERA

Acrotrichis crotchii43
Acrotrichis fulva43
Acrotrichis fulvoides43
Acrotrichis infuscata43
Acrotrichis wollastoni.....43
Cicindela campestris.....159
Cionus alauda.....86
Cionus scrophulariae86, 265-266
Cionus spp.84-86
Cionus tuberculosus.....86
Cryptocephalus decemmaculatus.....261
Cryptocephalus nitidulus257-264
Pachyrhinus lethierryi.....278
Propomacrus bimucronatus274-276
Ramphus oxycanthae.....29-30

HYMENOPTERA

Apanteles lacteicolor109, 110
Baryproctus barypus209-212
Baryscapus endemus.....84
Bombus terrestris159
Bombus vestalis159
Bracon barypus209-212
Dolicogenidea lacteicolor109
Entedon cionobius84, 85
Entedon zanara.....266
Ioseppinella gen nov.267-271
Ioseppinella serena sp. nov.267-271
Phobocampe alticollis110
Ponera coarctata.....113-119
Ponera testacea *.....113-119

Pteromalus spp.....	85, 86
Symmorphus gracilis	84, 85
Trissolcus	267, 269

PSOCOPTERA

Amphigerontia bifasciata.....	35
Amphigerontia contaminata.....	35
Blaste quadrimaculata.....	171
Elipsocus abdominalis	35
Elipsocus mclachlani	35
Elipsocus pumilis.....	35
Elipsocus westwoodi	35
Embidopsocus enderleini.....	170
Hyalopsocus morio	171
Liposcelis decolor.....	170
Loensia variegata.....	35-42
Mesopsocus immunis.....	35
Mesopsocus unipunctatus	35
Peripsocus milleri	171
Philotarsus picicornis.....	35
Propsocus pulchripennis	170
Pseudopsocus rostocki	170, 172
Pteroxanium kelloggi	35-42
Reuterella helvimacula.....	35-42, 172
Trichadenotecnum sexpunctatum.....	35-42

